



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

December 22, 2003

Town of Cathlamet  
c/o William Faubion  
PO Box 153  
Cathlamet WA 98612

Dear Mr. Faubion:

Re: Water Permit No. 2929

In compliance with your request, you are hereby granted an extension of time until **September 1, 2008**, in which you must complete construction and file notice of such action under the above referenced number.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Water Resources Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or Teresa Hanson at (360) 407-0270.

Sincerely,

A handwritten signature in cursive script, reading "Thomas Loranger", is written over the typed name.

Thomas Loranger  
Water Resources Section Manager  
Southwest Regional Office

TL:th (ccext.doc)



Printed By: Crystal Harlow  
On: 12/02/2003 At: 11:18 am

# RECEIPT

Receipt Number 04-010309

Department of Ecology

(4610)

Manual Receipt

PO Box 5128

Lacey, WA 98509-5128

(360) 407-7095

Current Document Number 461H0757CJ

Date 12/03/2003

FM 06

Remitter Name CATHLAMET TOWN

Receipt Name

Check/Draw Number 3571


Document Amount \$20.00

Method of Payment Check

Comment Description WATER RIGHTS

Ref Doc -Nr	Ref Doc Sfx	Inv Nr	Id Nr	Sub Id Nr	Prgm Cd	T C	R	Fund	Maj Grp	Maj Src	Sub Src	Cnty	Work Cls	PIC	AI	Org	Prj	Sub Prj	Prj Phs	Sub Obj	Sub Sub Obj	Var GL	Sub Sid Dr	Sub Sid Cr	Alloc Amt
				H00	001			001	02	85	000010														\$20.00

12/9/03  
OK to refund CC to  
Booe, 1, 2007  
September 1, 2007  
Dkt



## Town of Cathlamet

100 Main Street  
Post Office Box 68  
Cathlamet, Washington 98612  
Phone 360-795-3203  
FAX 360-795-8500

RECEIVED  
DEPT. OF ECOLOGY/SWRO

03 DEC -1 AM 11:26

November 24, 2003

Mr. Tom Loranger  
Department of Ecology  
PO Box 47775  
Olympia, WA 98504-7775

Dear Mr. Loranger:

Re: Extension of Surface Water Permit No. 2929

The following information addressed the current status of the intake and future concerns surrounding the acquisition of additional water rights for the Cathlamet Drinking Water Treatment Plant. Following your recommendation the Town also requests a five(5) year extension and is enclosing a check for the additional twenty dollars(\$20).

Cathlamet Drinking Water Treatment Plant Intake:

At the time additional water rights were first applied for there was serious concern about the current intakes ability to meet the present and future flow demands. When the new plant came online air became available to flush the intake. This has increased the time between flushes from hours to several days.

With the immediateness of the problem diminishing, the Town had Gray & Osborne Engineers perform a detailed study of the problems related to the water intake. Several scenarios were proposed and evaluated. Based on the study the Town has chosen a phased approach that deals with the existing intake and its' problems. This will avoid incurring more debt by allowing the work to be done staying within the annual budget.

At this time the intake and raw water pumps are capable of handling the increase in flow that would be needed to meet the filter design flow of 1mgd. In the future the additional total flow will guarantee the systems ability to meet the dry weather demands of the future projected growth.



Should further information be required please call me at (360) 795-8032. Thank you for your assistance with this matter.

Sincerely,

A handwritten signature in cursive script that reads "David L. Vik". The signature is written in dark ink and is positioned above the printed name and title.

David L. Vik  
Public Works Supt. Town of Cathlamet

cc: Robert Rendler, Mayor  
Virginia Welker, Clerk/Treasurer  
William Faubion, Attorney



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

October 29, 2003

Town of Cathlamet  
c/o Mayor Robert Rendler  
PO Box 68  
Cathlamet WA 98612

Dear Mayor Rendler:

Re: Surface Water Permit No. 2929

This letter serves as a follow-up to a telephone conversation I had on October 14, 2003, with Virginia Welker regarding a letter we received from the Town of Cathlamet. To recap that conversation, on October 3, 2003, this office received a letter dated September 30, 2003, and \$5.00 fee from the Town of Cathlamet, signed by Ms. Welker, requesting an extension to the above-referenced surface water permit. However, the letter did not contain any information regarding due diligence toward completion of the project.

As background, our office sent a reminder letter dated October 7, 2003, to the Town of Cathlamet, c/o William Faubion, explaining that the above referenced permit is currently in the Completion of Construction stage of development. The development schedule required that construction be completed on the water system on or before **September 1, 2003**, and that our office be notified that construction has been completed or if completion of the project has been delayed for some reason.

According to the letter from your office dated September 30, 2003, you have not completed construction and are still interested in developing your project. However, state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted. Please send an extension request in writing containing the following:

1. A description of efforts you have made to complete construction on the project since the permit issued or the last extension was granted. This permit was issued December 28, 2001.
2. A time schedule for completing the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.




Town of Cathlamet  
c/o Mayor Robert Rendler  
October 29, 2003  
Page 2

Please send the letter showing good cause towards the completion of this project within **thirty (30) days** of the date of this letter.

Do not hesitate to call me at (360) 407-0290 if you need further information. Thank you for your attention to this matter.

Sincerely,

A handwritten signature in cursive script, appearing to read "Deb Hunemuller".

Deb Hunemuller  
Water Resources Program

DH:dn

cc: Virginia Welker, Clerk/Treasurer  
William Faubion, Attorney

**Memo to File**

Date: October 14, 2003  
To: Surface Water Permit File 2929  
From: Deb Hunemuller, Water Resources Program, SWRO *DH*  
Subject: Extension Request – Need further information

On October 3, 2003, we received a letter from the Town of Cathlamet, signed by Virginia Welker, Clerk/Treasurer, requesting an extension to their surface water permit 2929. However, the letter did not contain any information regarding due diligence toward completion of the project. On October 14, 2003, I called Virginia Welker, and explained that we need more information regarding this project. She agreed to talk to the public works engineer and send a more complete explanation as soon as possible.



## Receipt Number 04-007407

(4610) Manual Receipt

**Lacey, WA 98509-5128**

**(360) 407-7095**

FM 04

Receipt Name

Comment Description **WATER RIGHTS**[illegible]





## Town of Cathlamet

100 Main Street  
Post Office Box 68  
Cathlamet, Washington 98612  
Phone 360-795-3203  
FAX 360-795-8500

RECEIVED  
DEPT. OF ECOLOGY/SWRO

'03 OCT -3 110:46

September 30, 2003

Tom Loranger  
Water Resources Supervisor  
Department of Ecology  
PO Box 47775  
Olympia, WA 98504-7775

Dear Mr. Loranger,

The Town of Cathlamet is requesting an extension of our surface water permit number 2929. At the current time our capacity to meet demand of water use is adequate. The permit will allow us to plan for the future needs of our community.

Enclosed is our warrant for \$5.00 to pay the permit fee.

Sincerely,

Virginia L. Welker  
Clerk/Treasurer

Enclosure





STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

October 7, 2003

Town of Cathlamet  
William Faubion  
PO Box 153  
Cathlamet WA 98612

Dear Mr. Faubion:

Re: Water Permit No. 2929

The above referenced permit is currently in the Completion of Construction stage of development. This letter is to remind you that the permit development schedule required that construction be completed on the water system on or before **September 1, 2003**, and that you notify this office that construction has been complete. Please complete the enclosed Completion of Construction form and submit it to this office as soon as possible if you have completed construction on the water system.

If you have not completed construction and are still interested in developing your project, you may request an extension of time. Since state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted, **your extension request must be made in writing and contain the following:**

1. A description of efforts you have made to complete construction on the project since the permit was issued or the last extension was granted.
2. A time schedule for completing the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$5.00** extension fee made payable to the Department of Ecology. At \$5.00 per year this would bring you current until **September 1, 2004**. Any payments of extension fees are non-refundable regardless whether the extension is granted.

Please submit the Completion of Construction form or the request for extension with the extension fee within **thirty (30) days** from the date of this letter. This office should be notified if you no longer intend to develop the project.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0270. Thank you for your attention to this matter.

Sincerely,

Teresa Hanson  
Water Resources Program

TH:th (ccreminder1.doc)  
Enclosure







STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

December 28, 2001

Town of Cathlamet  
PO Box 153  
Cathlamet WA 98612

Dear Sir or Madame:

Re: Surface Water Amended Permit No. 2929

Enclosed is Amended Permit No. 2929. Our information indicates that you have begun construction of your project. We are enclosing a Notice of Completion, which must be filed when you have finished the work.

If you cannot complete your project by **September 1, 2003**, you must contact this office.

Please read the enclosed information sheet, as well as both sides of your permit.

Sincerely,

A handwritten signature in dark ink, appearing to read "J. Mike Harris", is written over the typed name and title.

J. Mike Harris  
Water Resources Supervisor  
Southwest Regional Office

JMH:th (permit2)  
Enclosures

